



Cibēs

បច្ចេកវិទ្យាជំនាត់ថ្មី
ជំនាត់យុទ្ធសាស្ត្រក្នុងផ្ទះ

V70S

2026


CIBES – SINCE 1947

Cibes Lift Group is one of the world's largest manufacturers of low-speed lifts, with sales and distribution in more than 70 countries, and a network of 200+ certified distributors.



WHAT MAKES CIBES SPECIAL?

DIRECT SALES ACROSS THE WORLD



FACTORY DIRECT SUBSIDIARIES IN:

SWEDEN | NORWAY | FINLAND | FRANCE | UNITED KINGDOM |
GERMANY | HOLLAND | SPAIN | AUSTRIA | BELGIUM | DUBAI |
CHINA | VIETNAM | THAILAND | **PHILIPPINES** | INDONESIA |
CAMBODIA | | INDIA | USA | MALAYSIA | SWITZERLAND

CIBES DIRECT OWNED FACTORIES

Gävle, SE | Jiaxing, CN |
Peoria, USA | Gdansk, PL

APPROVED DEALERS IN:

70+ Countries

WORDS FROM OUR CEO,
PER LIDSTRÖM



One does not build a company that lasts over 78 years without an unwavering commitment to customer satisfaction. Cibes fully embraces the Scandinavian ethos of reliability, which is why we are uncompromising when it comes to the quality of our products, the elegance of our designs and our commitment to safety. From the start, our best marketing has always been our existing customers, and the 50,000 lifts we have installed around the world continue to be a driver of our success. At Cibes, we know that our happy customers are the key to our longevity, and we look forward to having you join the Cibes family!

Per Lidström

CEO, CIBES LIFT GROUP

ABOUT

CIBES LIFT GROUP IN 2024

320

MILLION EUROS

In turnover in 2023

1,800

EMPLOYEES

Across the world

100,000+

LIFTS INSTALLED


In 70+ countries

ACCESSIBILITY FOR EVERYONE, EVERYWHERE


CUTTING-EDGE

SCREW-DRIVEN TECHNOLOGY

TYPICAL TRACTION




CIBES SCREW-DRIVE



HOW A SCREW DRIVE MECHANISM WORKS

DID YOU KNOW?



Our screw is so strong that if you place the weight of 9 pick-up trucks on the weakest point (the joint), it still won't break!



The lift is attached to a nut on an endless screw



If the nut rotates one way, the lift goes down




If the nut rotates the other way, the lift goes up!

គុណសម្បត្តិលេចធ្លោជាពិសេស របស់បទសន្សំសំចៃទំហំ

MORE STANDING SPACE - HIGHER UTILIZATION


Assuming a 1500 x 1500 mm void inside the shaft

TRADITIONAL CABIN LIFT




SPACE INSIDE OF LIFT:
0.8 sqm

CIBES V70S LIFT




SPACE INSIDE OF LIFT:
1.2 sqm

HOW A SCREW DRIVE MECHANISM WORKS




FITS IN TINY SHAFTS

As small as 1200 x 1400 inside the shaft



OPENS ON ROOFTOPS

Thanks to our super low overhead of only 2350 mm



IDEAL FOR PENTHOUSES

Thanks to our pitless and machine-room-less design

ការយល់ដឹងអំពីសុវត្ថិភាព

តើសុវត្ថិភាពមានន័យដូចម្តេច?

Rating an elevator's safety has two components: which **standard** do you follow, and which **certification agency** did you use to confirm that you followed that standard.

ស្តង់ដាររបស់យើង

ស្ថាប័នដែលយើងបញ្ជាក់ស្តង់ដារ

**EN
81-41**

នេះគឺជាស្តង់ដារអឺរ៉ុបដែលជណ្តើរយន្ត Cibes ត្រូវបានផ្តល់វិញ្ញាបនបត្រទៅតាមឯកសារមានចំនួន 167 ទំព័រ រួមបញ្ចូល 108 តម្រូវការសុវត្ថិភាពសំខាន់ៗ (Essential Safety Requirements) ហើយត្រូវបានយល់ព្រមរួមគ្នាដោយ 28ប្រទេសអឺរ៉ុប។



បង្កើតឡើងនៅឆ្នាំ 1933, LiftInstituut គឺជាស្ថាប័នផ្តល់វិញ្ញាបនបត្រឈានមុខគេមួយនៅអឺរ៉ុប សម្រាប់ជណ្តើរយន្ត តាមរយៈបទពិសោធន៍យូរឆ្នាំក្នុងការផ្តល់វិញ្ញាបនបត្រដល់គម្រោងរបស់ក្រុមហ៊ុនធំៗដូចជា Kone, Schindler, Mitsubishi និង Otis

**ISO
9001:2015**

ISO 9001 គឺជាស្តង់ដារដែលទទួលស្គាល់ជាទូទៅលើសកល សម្រាប់ការបង្កើត ការអនុវត្ត និងការរក្សាទុកប្រព័ន្ធគ្រប់គ្រងគុណភាព (Quality Management System – QMS)។ វាមានន័យថាជណ្តើរយន្តទាំងអស់ដែលចេញពីហាងចក្ររបស់យើង មានគុណភាពផលិតដូចគ្នា និងមានស្តង់ដារអន្តរជាតិ។



ស្ថាប័នផ្តល់វិញ្ញាបនបត្រឈានមុខគេមួយរបស់អាណ្លីម៉ង់ ដែលមានជំនាញខាងការធ្វើតេស្តបច្ចេកទេស ការត្រួតពិនិត្យ និងការផ្តល់វិញ្ញាបនបត្រ។ ត្រូវបានបង្កើតឡើងក្នុងឆ្នាំ 1872 និងមានកិច្ចការមជ្ឈដ្ឋាននៅទីក្រុង Cologne, ប្រទេសអាណ្លីម៉ង់។

**ISO
14001:2015**

ISO 14001 គឺជាស្តង់ដារអន្តរជាតិមួយ ដែលផ្តល់គ្រោងការណ៍ឲ្យស្ថាប័នអាចចនា និងអនុវត្តប្រព័ន្ធគ្រប់គ្រងបរិស្ថាន (Environmental Management System – EMS) បានយ៉ាងមានប្រសិទ្ធភាព។ វាមានន័យថា យើងគ្រប់គ្រងនិងត្រួតពិនិត្យផលប៉ះពាល់ដល់បរិស្ថានពីជណ្តើរយន្តនីមួយៗ។



ស្ថាប័នផ្តល់វិញ្ញាបនបត្រឈានមុខគេមួយរបស់អាណ្លីម៉ង់ ដែលមានជំនាញខាងការធ្វើតេស្តបច្ចេកទេស ការត្រួតពិនិត្យ និងការផ្តល់វិញ្ញាបនបត្រ។ ត្រូវបានបង្កើតឡើងក្នុងឆ្នាំ 1872 និងមានកិច្ចការមជ្ឈដ្ឋាននៅទីក្រុង Cologne, ប្រទេសអាណ្លីម៉ង់។

SIL3

SIL3 (Safety Integrity Level 3) គឺជាកម្រិតសុវត្ថិភាពខ្ពស់មួយ ដែលបានកំណត់ដោយស្តង់ដារ IEC 61508។ វាបង្ហាញថាប្រព័ន្ធ ឬសមាសធាតុមានភាពហាជយទាបខ្លាំងនិងសមស្របសម្រាប់ប្រើប្រាស់នៅក្នុងកម្មវិធីដែលមានហានិភ័យខ្ពស់ដែលទាមទារកម្រិតជាក់ខ្ពស់ និងការកាត់បន្ថយហានិភ័យយ៉ាងមានប្រសិទ្ធភាព។



ក្រុមហ៊ុនរួម (JV) ដែលបានបង្កើតឡើងក្នុងឆ្នាំ 1998 រវាង SGS Group (ជាអ្នកដឹកនាំសកលក្នុងការត្រួតពិនិត្យ ការផ្ទៀងផ្ទាត់ ការធ្វើតេស្ត និងការផ្តល់វិញ្ញាបនបត្រ) និង TÜV Saarland ដែលជាស្ថាប័នអាណ្លីម៉ង់បង្កើតនៅឆ្នាំ 1871។ ស្ថាប័ននេះផ្តល់សេវាកម្មតេស្តវិញ្ញាបនបត្រ និងការត្រួតពិនិត្យដោយឯករាជ្យ។

HISTORY OF SCREW - DRIVE SCREW-DRIVE GENERATIONS

- **PMSM**– Permanent magnet synchronous motor for a ridiculously silent and smooth ride
- **New Gen Display Screen** – Our newest UI yet, smooth and seamless
- **Voice Control** – as an option on all Gen 5 lifts to improve convenience and accessibility



4th GENERATION
ECOSILENT 2.0


- **Reduced oil use:** no oil on guidrails, auto-lubricating system on screw, >200 mL of oil / year!
- **More energy savings:** 1.5 kW motor
- **Silent operation:** new screw pitch and silent box for sound as low as 40 dB
- **Reduced maintenance:** as low as once per year



2nd GENERATION
SMART LIFT

- **Mechanical System:** all functions were mechanical and not driven by software
- **Lower Travel Height:** 13 m

1st generation lifts were **discontinued** in 2017 for all Cibes Lift Group products



1st SCREW-DRIVE
ELEVATOR

2025



5th GENERATION
ULTRA SILENT

- **Even Safer Lift!** – light curtain upgrade for safety edges for near-instantaneous stops, 2N dialer to ensure always functional phone
- **Even Smoother Ride** – Upgraded XXL rollers for an ultra smooth guiderail connection
- **Connected Lift** – connected to our Cibes Control Center for monitoring and remote assistance if needed

2022



3rd GENERATION
ECOSILENT

- **Smart Operating System:** digital OS (i.e. software)
- **Safer Lift** – thanks to our CiCon System, our lift can be SIL-3 certified
- **Reset RFID Tag** – you can reset the lift yourself – no need to wait for one of our technicians
- **Warning Systems:** e.g. low battery system
- **Fault and Breakage Record:** keeps track of all key metrics e.g. travel distance, number of faults and reason to help improve repairs

2019

2017

1990s




1st GENERATION
MECHANICAL

Invented for the Russian empress Catherine the Great by inventor Ivan Kulibin, the 1st screw drive elevator was installed in the imperial palace The Hermitage in St. Petersburg

1793

WHY CUSTOMERS CHOOSE CIBES

MEET OUR INSTALLATION TEAM



At Cibes We never outsource Installation, maintenance and repairs. All our technicians are Cibes-Certified and trained directly by head Cibes technician team.

This ensures that we maintain our high-quality standards for every single lift we install and provide our customer with top notch customer service.

We also regularly arrange technician team training across the region, sharing best practice from our market in Asia (100+ showrooms in 7 different countries)

- ▶ A Swedish quality lift deserves as **Swedish quality installation** always!
- ▶ **An investment** that will last 20-25 years when properly maintained by Cibes certified technicians

Technicians that are trained to not only repair and maintain your lift but also respect your home and your privacy.

How do we know that our customers love our lift?

Referrals are 35% of our new business!



OUR TRUST IN QUALITY

CIBES 1 + 1 + 5 + 10 PROGRAM

So confident are we in the quality of our products that we offer a comprehensive 1+1+10 product guarantee.

1 YEARS OF FREE WARRANTY

The only thing more stressful than buying a lift is probably worrying about repairs and problems.

With Cibes, that worry does not exist.

We know that the quality of our materials, craftsmanship and installation creates a one-of-a-kind lift that will last for decades.

In fact, we are even willing to guarantee it, with a FREE 1 year warranty for every single Cibes Lift that we sell.

Welcome to a new level of worry-free living. Welcome to the Cibes family!

1 YEARS OF FREE MAINTENANCE

Even more important than the warranty is the hidden cost of maintenance. With Cibes, there are no hidden costs: we offer 1 years of maintenance for FREE to every single Cibes Lift.

No last-minute additions for labor or spare parts – at Cibes, we want to provide our customers with complete peace of mind.

Most importantly, a Cibes maintenance is no small thing: we only use genuine Cibes Technology™ products, included Cibes Genuine High Performance Oil and Cibes Universal Contact Spray, to ensure that your lift continues to operate smoothly for decades!

5 YEARS OF FREE WARRANTY

on the Cibes Lift Motor,
conditional to doing maintenances with Cibes Team timely throughout this period

10 YEARS OF FREE WARRANTY

on the Cibes Lift
Screw & Nut,



conditional to doing maintenances with Cibes Team timely throughout this period



INTRODUCING OUR NEWEST MODEL

V70S - Sliding



DOOR SELECTION

PREMIUM RANGE



STEEL DOORS

*Available in three metallic finishes:
hairline, mirror and sandblasted*



PANORAMIC DOORS

*Same options as steel doors for frames. Includes
panoramic tempered and laminated glass*

SATIN STAINLESS



SF-066
Stainless Natural




SF-067
Anthracite Black



SF-064
Bronze



SF-065
Gold



SF-063
Champagne

BRUSHED STAINLESS



SF-062
Stainless Natural



SF-061
Anthracite Black



SF-059
Bronze



SF-060
Gold



SF-058
Champagne

MIRROR STAINLESS



SF-070
Stainless Natural



SF-069
Anthracite Black



SF-072
Bronze



SF-071
Gold



SF-068
Champagne

SWEDISH MINIMALISM CABIN DESIGN

FLOOR LEVEL INDICATOR

DIALPAD
PHONE


ERGONOMIC
BUTTONS

FULL LENGTH
HANDRAIL



PANELLING SELECTION

HPL COMBINATIONS



HPL BY FORBO



8841D8 White Ash



8843D8 Natural Ash



8842D8 Weathered Ash



8854D8 Alabaster Oak



5486NT Classic Walnut



6055D8 Aged Walnut




7377MH White Jade



7381MH Blue Gem



7383MH Steel Jade




9364L Pearl Leather



9365L Bronze Leather



7380MH Gold Stone




7157K Cosmic Dawn




8171K Metal Pearl Steel



8828LM Earthen Twill



6444LM Clay Textile



6446LM Charcoal Textile



3460G Calacatta Marble



9306NM White Bardiglio



7402NM Pietra Grafite




8853D8 Rural Oak



7382MH Bronze Desert



7379MH Copper Stone



6445LM Greige Textile



3476H Jet Sequoia



8816K Frosted Champagne




8818K Frosted Graphite

LIMITED SELECTION **GLASS WALLS**



Clear Standard Glass



Black Mirror

LIMITED SELECTION **MIRROR**




* Glass cannot be used on COP side panel

PANELLING SELECTION

FULL ACRYLIC LIGHT UP PANEL



HPL and Cinnabar Rosé Acrylic Panel combination



Cobalt Blue



Cinnabar Rosé



Imperial Black

**Can only be installed on wall opposite the door*



Nova Clouds




Clay Parfait




Sandstone Canyon



Basilica Marble



Yerevan




New Orleans




Inca




Iona




Pharaoh



Long Spring




Dragon



Pavona Feathers



Verona



Euler




Evening Agate

FLOORING DESIGN CHOICES



UNIFIED FLOORING

One single piece of a clean and aesthetically minimalist feel



FRAMED QUAD

Two flooring types to create a premium framed design flooring

FLOORING CHOICES



2939 Black



3872 Volcanic Ash




3254 Clay



3858 Barbados



3375 Grey Adobe



3374 Cobalt Grey



3370 Terracotta



3352 Berlin Red



18942 Natural Oak



18832 Grey Oak



18902 Dark Oak



18572 Black Seagrass

LOP / COP



STANDARD LOP

Standard touch LOP with Cibes aesthetic edges



DISPLAY LOP

Premium LOP with built-in touchscreen displaying floor number



OUTDOOR LOP

IP-rated LOP designed for outdoor installations



RECOMMENDED CABIN DESIGN

ELEGANCE



RECOMMENDED CABIN DESIGN

AURORA



SPECIAL EDITION

ASTERIX EDITION





SIZING GUIDE

SIZING CHART



SIZE	CABIN (Standing Space)		CUT-OUT (in shaft)		SLIDING DOOR (Width)	AREA (m ²)	RATED LOAD (kg)
	A/C	B/D	A/C	B/C			
V70S-1	990	830	1395	1190	800	0.82	400
V70S-2	890	930	1250	1290	700	0.83	400
V70S-3	1090	930	1450	1290	800	1.02	400
V70S-4	890	1030	1250	1390	700	0.92	400
V70S-5	990	1030	1395	1390	800	1.02	400
V70S-6	1090	1130	1450	1490	800	1.24	400
V70S-7	1190	1230	1550	1590	900	1.47	400
V70S-8	1190	1330	1550	1690	900	1.59	400
V70S-9	890	1330	1250	1690	700	1.19	400
V70S-10	890	1430	1250	1790	700	1.28	400

MAX # OF STOPS	8 Stops
MAX TRAVEL HEIGHT	20,000 mm
POWER SUPPLY	1 phase 220V / 3 phase 220 V / 3 phase 400 V
MINIMUM HEIGHT TOP FLOOR	2600 mm
BOTTOM PIT	100 - 120 mm
PRODUCT STANDARD	MD 2006/42/EC, EN81-41, certified by SIL3
DRIVE MODE	Screw-Drive
RATED POWER	2.9 kW
MACHINE ROOM	None (integrated solution)
DOOR OPENING	Side-Open, Sliding, A or C only
SPEED	0.15 m/s - 0.20 m/s
GLASS	Tempered and Laminated









SIZE 1



SIZE 2





SIZE 3





SIZE 4

SIZES & DIMENSIONS



SIZE 5





SIZE 6





SIZE 7





SIZES AND DIMENSIONS



SIZE 8



SIZE 9



SIZE 10

CIBES PRODUCTION UNITS

DIRECT CONTROLLED

"It doesn't matter whether a Cibes is made in Sweden, the USA or China – all follow our extremely strict Swedish guidelines and conform to the toughest safety standards!"

Chief Operating Officer
Samson Popowitz

In charge of all Cibes Production Units



OUR PRODUCTION UNITS



GÄVLE, SWEDEN

Historical factory,
specializes in Accessibility
and Cibes Air
Size: 10,000 sqm




Daniel Eriksson
Head of
Gävle PU



JIAXING, CHINA

Opened in 2020, largest
R&D center and specializes
in high-end home lifts
Size: 24,000 sqm



Juan Trespalcios
Head of
Jiaxing PU




GDANSK, POLAND

Established in 2022 to
support our Swedish PU
and as EU training center
Size: 4,500 sqm



Johan Wangberg
Head of
Gdansk PU



PEORIA, USA

Created in 2008, specializes
in ASME-certified lifts for the
North American market
Size: 23,000 sqm



Mark Stadel
Head of
Peoria PU

ISO 9001
ISO 14001

 **liftinstituut**
SINCE 1933





REMOTE MONITORING BY IOT

CIBES HomeSense



Cibes HomeSense is our intelligent remote monitoring system that keeps your home lift connected and protected. Designed for homeowners who value peace of mind, HomeSense lets us know your lift's condition anytime, anywhere, ensuring optimal performance and early detection of potential issues.

-  **Enabling Preventative Maintenance:** Detects early signs of issues (e.g. low emergency battery, abnormal usage patterns) before they become problems.
-  **Monitoring Only:** For safety reasons, Cibes HomeSense allows status checks but not remote operation.
-  **Real-Time Insights:** View your lift's health, uptime, and alerts at a glance through a secure cloud dashboard.
-  **Remote Log Access:** Service teams can securely download diagnostic logs to assist you without a site visit.
-  **Faster Support:** Enables technicians to arrive prepared, reducing downtime and unnecessary trips.

With **Cibes HomeSense**, you have the confidence that your lift is always running safely and efficiently, with Cibes quietly protecting your home in the background.

គោលដៅការដំឡើង

សំណួរដែលអតិថិជនសួរញឹកញាប់

តើការដំឡើងជណ្តើរយន្ត Cibes ចំណាយពេលប៉ុន្មានថ្ងៃ?

ពេលវេលាដំឡើងជាធម្មតាចំណាយប្រហែល ៧ - ១៤ ថ្ងៃ អាស្រ័យលើចំនួនជាន់ ម៉ូដែល ទំហំ និងទីតាំងដំឡើង (ក្នុងផ្ទះ / ក្រៅផ្ទះ)។



តើជណ្តើរយន្តនេះមានទម្ងន់ប៉ុន្មាន ហើយ ជាន់ផ្ទះរបស់ខ្ញុំអាចទ្រទ្រង់បានទេ?

ជណ្តើរយន្ត Cibes ២ ជាន់ (Typical) មាន ទម្ងន់ប្រហែល 1000 គីឡូ រួមទាំងគ្រោង (shaft) ផងដែរ។

ទម្ងន់ត្រូវបានចែកស្មើគ្នាលើគ្រោងក្រោម (base frame) ដូច្នេះ ប្លង់សេ ជាន់បាត 200 មម (reinforced concrete) សម្រាប់លំនៅ ឋានជាធម្មតាគឺគ្រប់គ្រាន់។ សម្រាប់ផ្ទះដែលមាន គ្រោងឈើ ឬរចនាសម្ព័ន្ធស្រាល Cibes នឹងផ្តល់ ដំណោះស្រាយ ប្លង់ទំងន់ (load-spread solution) ឬ base frame ។

តើខ្ញុំត្រូវដឹករណ្តៅ ឬសង់បន្ទប់ ម៉ាស៊ីនទេ?


ជណ្តើរយន្ត Cibes គឺជាប្រព័ន្ធមិនចាំបាច់មាន បន្ទប់ម៉ាស៊ីន (MRL) និងមិនត្រូវការរណ្តៅជ្រៅ ទេ — ត្រឹមតែ 50 មម ប៉ុណ្ណោះ សម្រាប់ធ្វើជាន់ ស្មើជាមួយផ្ទៃក្រោម។

បើមិនអាចដឹករណ្តៅបាន នោះវាអាចដំឡើង លើផ្ទៃជាន់ដោយផ្ទាល់ ដោយប្រើ ទ្រនាប់ជំរាល អាណុយមីញ៉ូមទាប 50 មម។



បើខ្ញុំមិនបានរៀបចំទំហំសម្រាប់ ដំឡើងជណ្តើរយន្តពេលសាង សង់ផ្ទះទេ តើធ្វើយ៉ាងដូចម្តេច?

ដោយសារតែមិនត្រូវការរណ្តៅ មិនត្រូវការ បន្ទប់ម៉ាស៊ីន និងមានគ្រោងរួចរាល់ជាមុន ជណ្តើរយន្ត Cibes គឺជាប្រព័ន្ធ plug and play ដែលអាចដំឡើងបន្ថែម (retrofitting) ក្នុងផ្ទះដែលមានរួចបាន យ៉ាងងាយស្រួល។



តើត្រូវការផ្គត់ផ្គង់អគ្គិសនីប្រភេទអ្វី?

សម្រាប់ការដំឡើងភាគច្រើនប្រើមួយហ្វូ 230V 16A សម្រាប់ផ្ទះគ្រួសារធម្មតាគឺគ្រប់ គ្រាន់ហើយ។ បើមានដំណើរខ្ពស់ (travel height) ឬទំហំធំ, អាចត្រូវការ បីហ្វូ 400V 16A ជំនួស។ ការប្រើប្រាស់អគ្គិសនីស្មើនឹង ម៉ាស៊ីនបោកខោអាវ — ប្រហែល 3 kW នៅ ពេលដំណើរការ និងដិតសូន្យនៅពេល standby។

ជណ្តើរយន្ត Cibes អាចដំឡើងបាន ប៉ុន្មានជាន់?

អាចដល់ទៅ ៦ ស្តុប (ជាន់ទី ៥-៦) ឬការធ្វើ ដំណើរឡើងដល់ ២០ម៉ែត្រ។ វាអាចកំណត់រចនា បទឲ្យដំណើរតាមស្តុបជាន់ឬជាន់បំបែក (split-level) ដូចជា mezzanine បានផងដែរ។



គោលដៅការដំឡើង សំណួរដែលអតិថិជនសួរញឹកញាប់


តើកម្រិតសម្លេងមានប៉ុន្មាន?

កម្រិតសម្លេងទាបខ្លាំងណាស់ ដោយសារប្រើ ម៉ូទ័រ Permanent Magnet Synchronous Motor (PMSM) — ប្រហែល 40 dB ប៉ុណ្ណោះ ស្មើសម្លេង ទូទឹកកកដែលដំណើរការស្ងាត់។ ប្រព័ន្ធ screw drive បង្កើតចលនាស្ថិរភាព និងរលូន ដោយគ្មានតម្រូវការបូម hydraulic ឬ traction motor ទេ។



តើវាត្រូវការប្រព័ន្ធចាមពលបម្រុងទេ?

ជណ្តើរយន្ត Cibes ទាំងអស់មានប្រព័ន្ធចុះ បន្ទាន់ដោយថ្ម (battery-driven emergency lowering) ជាមូលដ្ឋានរួច មកហើយ។ នៅពេលអគ្គិសនីផ្គត់ផ្គង់កាត់ផ្តាច់ ជណ្តើរយន្ត នឹងចុះទៅជាន់ដែលនៅជិត បំផុតដោយសុវត្ថិភាព ហើយបើកទ្វារដោយ ស្វ័យប្រវត្តិ។



តើវាអាចដំឡើងនៅខាងក្រៅផ្ទះ បានទេ?

វាគឺជាអត្ថប្រយោជន៍ណាមួយក្នុងចំណោមភាព ពិសេសរបស់ពួកយើង! Cibesផ្តល់ជម្រើស ដំឡើងខាងក្រៅផ្ទះនិងពាក់កណ្តាលខាងក្រៅ (semi-outdoor) ដែលទ្វារបើកចូលខាង ក្នុង ដោយប្រើ គ្រោងshaft ដែលធន់នឹង អាកាសធាតុ។ ប្រព័ន្ធរបស់ពួកយើងអាចទ្រទ្រង់ បានទាំងខ្យល់ព្យុះខ្លាំង (typhoons), ខ្លាច់ ផ្លាស់ (sandstorms), កម្ដៅខ្ពស់, ហើយ មានដំឡើងម៉ាស៊ីនចាប់សញ្ញាទឹកជំនន់ (flooding sensor) សម្រាប់ករណីបន្ទាន់ ផងដែរ!



ត្រូវការកម្ពស់ពិដានប៉ុន្មាន?

សម្រាប់ជាន់លើបំផុត ត្រូវការកម្ពស់ទំនេរអប្ប បរមា 2350 មម ពីកម្ពស់ជាន់ដែលបាន បញ្ចប់ (Finished Floor Level)។ បើ កម្ពស់ទាបជាងនេះជណ្តើរយន្ត Cibes ក៏មាន ជម្រើសជាប្រព័ន្ធទ្វារ (gate solution) ដែលត្រូវការកម្ពស់ត្រឹមតែ 1300 មម ប៉ុណ្ណោះ។

ត្រូវការការថែទាំប៉ុន្មានដង?

ត្រឹមតែ ១-៣ ដងក្នុងមួយឆ្នាំប៉ុណ្ណោះ សម្រាប់ ការថែទាំអាស្រ័យលើការប្រើប្រាស់និងទីតាំង ដំឡើង (ឧ. ដំឡើងខាងក្រៅត្រូវការថែទាំច្រើន ជាង)។ ប្រព័ន្ធ screw-drive មានផ្នែក ចល័តតិច ដូច្នេះគ្មានការហូរទឹកប្រេង និង គ្មានខ្សែប្រឡាក់ខ្លួន ដូចជាលើប្រព័ន្ធបែប ផ្សេងទៀត ដែលទាំងនេះធ្វើឲ្យការចំណាយ ជួសជុលផ្លាស់ប្តូរផ្នែកមានតិចជាងគេ។



បើខ្ញុំកែលម្អផ្ទះពេលក្រោយ តើជណ្តើរ យន្តអាចផ្លាស់ទីបានទេ?

អាចធ្វើបានប៉ុន្តែអាចត្រូវការការបញ្ជាទិញគ្រឿង បន្លាស់បន្ថែមមួយចំនួន ជាពិសេសប្រសិនបើ ត្រូវធ្វើដំណើរឡើងកម្ពស់ខ្ពស់ជាងមុន។ ដោយសារចរន្តសម្ព័ន្ធជាប្រព័ន្ធគ្នី ជណ្តើរយន្ត Cibes អាចចុះបើ ហើយដំឡើង ឡើងវិញនៅទីតាំង ឬផ្ទះផ្សេងទៀតបាន ធ្វើឲ្យ មានភាពបត់បែនសម្រាប់ការកែលម្អផ្ទះនៅ អនាគត ឬការលក់បន្ត។

តើត្រូវការលក្ខខណ្ឌចរន្តសម្ព័ន្ធអ្វីខ្លះ សម្រាប់ការដំឡើង?

ការទាមទារផ្នែកចរន្តសម្ព័ន្ធសម្រាប់ការដំឡើង (Structural requirements): តិចតួច បំផុត។ ប្រអប់គ្រោង (shaft) របស់ជណ្តើរ យន្តអាចទ្រទ្រង់របស់ខ្លួនបានដោយខ្លួនឯង។ អ្នកត្រូវការតែមានផ្ទៃរាបស្មើ និងរឹងមាំ (បេតុង មានដែកពង្រឹង ឬការទ្រដោយដែក I-beam) ចំណុចភ្ជាប់រឿងរាល់ ៣-៤ ម៉ែត្រ ដែលអាច បន្ថែមជាមួយដែក (brackets) បន្ថែមបាន ប្រសិនបើចាំបាច់។

Cibēs

SHOWROOMS & TECHNICAL STATIONS



PHNOM PENH

#261 Chipmong 271, St Commercial,
Sangkat Chak Angre Leu, Khan Meanchey



Sihanoukville

COMING SOON.....

CIBES LIFT CAMBODIA CO., LTD

011 837 183 / 093 837 183

cibescambodia.com